

FOUNDATION EQUIPMENT

FONDAZIONI & CONSOLIDAMENTI
DEEP FOUNDATIONS & GROUND IMPROVEMENT



PERFORTRICI A SBRACCIO LUNGO. LONG REACH MULTIPURPOSE RIGS.





Perforatrici con **articolazione del mast di tipo "long reach"** (a braccio lungo) che consente un posizionamento rapido e veloce sul foro. Grazie alla loro capacità di **superare ostacoli e/o lavorare ad altezze elevate** sono ideali per l'esecuzione di opere di fondazioni e consolidamento su cantieri che richiedono un **ampio raggio di lavoro** in funzione della **particolare configurazione morfologica** o degli **spazi ristretti**.





Drilling rigs featuring a **"long reach" mast articulation system** which allows for quick and easy borehole positioning, **reaching over obstacles or working at elevated heights**. These rigs are the ideal solution for foundation and ground improvement works on construction sites that require the ability to **cover a greater working radius** due to the **unconventional jobsite configuration** or **limited space**.



MC 9

MC 50 LR



	 		m.s.	i.s.	 	
Potenza Motore Engine Power	97 - 100	130 - 134	kW	HP	225	302
Livello Emissioni Emission Level	Stage 4/Tier 4f (HT Line) - Stage 5/Tier 4f (HT Line)		-	-	Stage 5/Tier 4f (HT Line)	
Corsa Mast Mast Feed Stroke	3.400	11' 1"	mm	ft-in	13.000	42' 7"
Forza di Spinta Feed Force	2.500	5,620	daN	lbs	10.000	22,481
Forza di Tiro Retract Force	2.500	5,620	daN	lbs	15.000	33,721
Coppia Rotary Rotary Torque Range	165 - 1.100	1,217 - 8,113	daNm	lb*ft	3.700 - 5.000	27,290 - 36,878
Giri Rotary Rotary Speed Range	43 - 192		rpm		120	
Serraggio Morse Clamp Range	32 - 170	1" 1/4 - 6" 11/16	mm	in	85 - 530	3" 3/8 - 20" 7/8
Peso Weight	9,5 - 10		ton		48 - 50	





FONDAZIONI & CONSOLIDAMENTI DEEP FOUNDATIONS & GROUND IMPROVEMENT



Comacchio S.p.A.
Via Callalta, 24/B
31039 Riese Pio X (TV) Italy
T +39 0423 7585
F + 39 0423 755592
sales@comacchio.com

comacchio.com